



CAMBRIDGE LIMITED LIFETIME ARCHITECTURAL SHINGLES











Cambridge

LIMITED LIFETIME ARCHITECTURAL SHINGLES

The Cambridge shingle is the shingle of choice for homeowners who demand the best in terms of quality, durability and value. Combining an extraordinary shake-like design with superior protection makes it a time-tested favorite.

Cambridge shingles are engineered to offer customers more protection and peace of mind with a larger, heavier and more durable shingle. Constructed with two layers of heavyweight fiberglass mat, more asphalt and less fillers, these shingles set the standard by offering a Limited Lifetime Warranty, superior tear strength and resistance to high winds.

- Cambridge AR shingles feature an algae resistant granule.
- 15-Year IKO Iron Clad Protection¹
- Covered by a Limited Lifetime Warranty¹
- Provides up to 110 mph (177 km/h) Limited Wind Warranty¹
- Limited High Wind Warranty Upgrade of 130 mph (210 km/h)^{1,2}
- Miami-Dade Approved³
- ¹ See Limited Warranty for complete terms, conditions, restrictions and application requirements.
- ² High Wind Application is required.
- $^{\rm 3}$ NOA # 10-0913.02 for product made in Kankakee. Expiry date 5/5/2016.



A Time-Tested Favorite

The Cambridge shingle is selected by consumers who demand the best in terms of quality, durability and value.





Warranty Upgrade Limited Wind Warranty¹ Limited High Wind Coverage Per Bundle Algae Resistant¹ Protection Iron Clad Standards Exposure Warranty () Limited **Product Specifications** ASTM D3462 **ASTM D3018** ASTM D3161- Class F ASTM E108 - Class A ASTM D7158 - Class H 40 7/8 in 13 3/4 in 5 7/8 in 33.3 ft² 110 mph 130 mph 15 Limited Cambridge (349 mm) (177 kph) (210 kph) (1038 mm) (149 mm) (3.1 m²) Lifetime Years CSA A123.5 CSA A123.51 CSA A123.52 ASTM D3462 ASTM D3402 ASTM D3161- Class F ASTM E108 - Class A 40 7/8 in 13 3/4 in 5 7/8 in 33.3 ft² 15 110 mph 130 mph Limited Cambridge AR (1038 mm) (349 mm) (149 mm) (3.1 m²) (177 kph) (210 kph) ASTM D7158 - Class H Years Lifetime CSA A123.5 CSA A123.51 CSA A123.52

Note: All values shown are approximate. 1 Product is designed and tested to comply with ASTM/CSA Standards at time of manufacture prior to packaging. 1 See Limited Warranty for complete terms, conditions, restrictions and application requirements. 2High Wind Application is required.



Shingles alone are sometimes not enough to protect your home. IKO has developed a superior multi-layered roofing system incorporating our industry-leading products.


IKO's Pro 4 Roofing System is setting the standard in protecting your home.

IKO's Shingles Crowne Slate, Armourshake, Royal Estate, Grandeur*, Cambridge and Marathon shingles are created using the industry's most advanced technology and selected by consumers who demand the best in terms of quality, durability and value. Along with one of IKO's quality shingles, your Pro 4 System includes these accessory products;



GoldShield, ArmourGard, or StormShield Ice & Water Protectors

IKO's Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers,



IKO's Starter Strips are already cut to size saving valuable time during the installation of the first course of shingles. Compatible with all existing IKO Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.



Asphalt Saturated Felt*, RoofGard-SB or RoofGard-Cool Grey Underlayments

Use an asphalt saturated felt underlayment, or our innovative RoofGard-SB or RoofGard-Cool Grey synthetic underlayments for total deck protection.



Hip and Ridge, Hip & Ridge Plus, Hip & Ridge 12 Cap Shingles or Ultra HP™ High Profile Ridge Cap Shingles

Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing your home's aesthetic appeal by accentuating the roof line.



3. Roof Starters



United States **1-888-IKO-ROOF** (1-888-456-7663), Canada **1-855-IKO-ROOF** (1-855-456-7663) or visit our web site at: www.iko.com